

Аналитические колонки SRT SEC

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: sxc@nt-rt.ru || сайт: <https://sepax.nt-rt.ru/>

Part	Product Name
------	--------------

215300- HPLC Column, Sepax, SRT SEC-300, 5 µm, 300
4630 Å, 4.6 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	300
ID (mm)	4.6	Length (mm)	300
Brand	SRT		

215300- HPLC Column, Sepax, SRT SEC-300, 5 µm, 300
7830 Å, 7.8 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	300
ID (mm)	7.8	Length (mm)	300
Brand	SRT		

215500- HPLC Column, Sepax, SRT SEC-500, 5 µm, 500
4605 Å, 4.6 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	500
ID (mm)	4.6	Length (mm)	50
Brand	SRT		

215500- HPLC Column, Sepax, SRT SEC-500, 5 µm, 500
4630 Å, 4.6 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	500
ID (mm)	4.6	Length (mm)	300
Brand	SRT		

215500- HPLC Column, Sepax, SRT SEC-500, 5 µm, 500
7805 Å, 7.8 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	500
ID (mm)	7.8	Length (mm)	50
Brand	SRT		

215500- HPLC Column, Sepax, SRT SEC-500, 5 µm, 500
7830 Å, 7.8 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	500
ID (mm)	7.8	Length (mm)	300
Brand	SRT		

215500P- HPLC Column, Sepax, SRT SEC-500 PEEK, 5 µm,
4605 500 Å, 4.6 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	500
ID (mm)	4.6	Length (mm)	50
Brand	SRT		

215500P- HPLC Column, Sepax, SRT SEC-500 PEEK, 5 µm,
4630 500 Å, 4.6 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	500
ID (mm)	4.6	Length (mm)	300
Brand	SRT		

215750- HPLC Column, Sepax, SRT SEC-750, 5 µm, 750
4630 Å, 4.6 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	750
ID (mm)	4.6	Length (mm)	300
Brand	SRT		

215750- HPLC Column, Sepax, SRT SEC-750, 5 µm, 750
7830 Å, 7.8 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	750
ID (mm)	7.8	Length (mm)	300

Part	Product Name
------	--------------

215950- HPLC Column, Sepax, SRT SEC-1000, 5 µm, 1000
4605 Å, 4.6 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	4.6	Length (mm)	50
Brand	SRT		

215950- HPLC Column, Sepax, SRT SEC-1000, 5 µm, 1000
4630 Å, 4.6 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	4.6	Length (mm)	300
Brand	SRT		

215950- HPLC Column, Sepax, SRT SEC-1000, 5 µm, 1000
7805 Å, 7.8 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	7.8	Length (mm)	50
Brand	SRT		

215950- HPLC Column, Sepax, SRT SEC-1000, 5 µm, 1000
7830 Å, 7.8 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	7.8	Length (mm)	300
Brand	SRT		

215950P- HPLC Column, Sepax, SRT SEC-1000 PEEK, 5
4630 µm, 1000 Å, 4.6 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	4.6	Length (mm)	300
Brand	SRT		

215980- HPLC Column, Sepax, SRT SEC-2000, 5 µm, 2000
4605 Å, 4.6 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	2000
ID (mm)	4.6	Length (mm)	50
Brand	SRT		

215980- HPLC Column, Sepax, SRT SEC-2000, 5 µm, 2000
4630 Å, 4.6 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	2000
ID (mm)	4.6	Length (mm)	300
Brand	SRT		

215980- HPLC Column, Sepax, SRT SEC-2000, 5 µm, 2000
7805 Å, 7.8 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	2000
ID (mm)	7.8	Length (mm)	50
Brand	SRT		

215980- HPLC Column, Sepax, SRT SEC-2000, 5 µm, 2000
7830 Å, 7.8 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	2000
ID (mm)	7.8	Length (mm)	300
Brand	SRT		

215980P- HPLC Column, Sepax, SRT SEC-2000 PEEK, 5
4630 µm, 2000 Å, 4.6 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	2000
ID (mm)	4.6	Length (mm)	300

Part	Product Name
------	--------------

215500- HPLC Column, Sepax, SRT SEC-500, 5 µm, 500
30030 Å, 30 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	4.6	Length (mm)	300
Brand	SRT		

215950- HPLC Column, Sepax, SRT SEC-1000, 5 µm, 1000
50025 Å, 50 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	50	Length (mm)	250
Brand	SRT		

215980- HPLC Column, Sepax, SRT SEC-2000, 5 µm, 2000
21230 Å, 21.2 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	2000
ID (mm)	21.2	Length (mm)	300
Brand	SRT		

215950- HPLC Column, Sepax, SRT SEC-1000, 5 µm, 1000
30030 Å, 30 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	30	Length (mm)	300
Brand	SRT		

215500- HPLC Column, Sepax, SRT SEC-500, 5 µm, 500
21230 Å, 21.2 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	500
ID (mm)	21.2	Length (mm)	300
Brand	SRT		

215950- HPLC Column, Sepax, SRT SEC-1000, 5 µm, 1000
21230 Å, 21.2 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	21.2	Length (mm)	300
Brand	SRT		

215980- HPLC Column, Sepax, SRT SEC-2000, 5 µm, 2000
10030 Å, 10 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	2000
ID (mm)	10	Length (mm)	300
Brand	SRT		

235100LS- HPLC Column, Sepax, SRT-C SEC-100, 5 µm, 7.8
7830 x 300 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	100
ID (mm)	7.8	Length (mm)	300
Brand	SRT-C		

215750- HPLC Column, Sepax, SRT SEC-750, 5 µm, 750
4625 Å, 4.6 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	750
ID (mm)	4.6	Length (mm)	250
Brand	SRT		

215750- HPLC Column, Sepax, SRT SEC-750, 5 µm, 750
4605 Å, 4.6 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	750
ID (mm)	4.6	Length (mm)	50
Brand	SRT		

Part	Product Name
------	--------------

215750- HPLC Column, Sepax, SRT SEC-750, 5 µm, 750
7805 Å, 7.8 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	750
ID (mm)	7.8	Length (mm)	50
Brand	SRT		

215980- HPLC Column, Sepax, SRT SEC-2000, 5 µm, 2000
30030 Å, 30 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	2000
ID (mm)	30	Length (mm)	300
Brand	SRT		

215750LS- HPLC Column, Sepax, SRT SEC-750, 5 µm, 750
7805 Å, 7.8 x 50 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	750
ID (mm)	7.8	Length (mm)	50
Brand	SRT		

215750LS- HPLC Column, Sepax, SRT SEC-750, 5 µm, 750
7830 Å, 7.8 x 300 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	750
ID (mm)	7.8	Length (mm)	300
Brand	SRT		

215940- SRT SEC-1000 Ånd 500 Å Mixed pore, 5 µm, 1000
4630 Å, 4.6 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	4.6	Length (mm)	300
Brand	SRT		

215950B- SRT SEC-1000 Modified Pore, 5 μm , 1000 \AA , 4.6 x
4630 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (μm)	5	Pore Size (\AA)	1000
ID (mm)	4.6	Length (mm)	300
Brand	SRT		

215500LS- HPLC Column, Sepax, SRT SEC-500, 5 μm , 7.8 x
7805 50 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (μm)	5	Pore Size (\AA)	500
ID (mm)	7.8	Length (mm)	50
Brand	SRT		

215980P- HPLC Column, Sepax, SRT SEC-2000 PEEK, 5
4605 μm , 2000 \AA , 4.6 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (μm)	5	Pore Size (\AA)	2000
ID (mm)	4.6	Length (mm)	50
Brand	SRT		

215980LS- HPLC Column, Sepax, SRT SEC-2000, 5 μm , 7.8 x
7830 300 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (μm)	5	Pore Size (\AA)	2000
ID (mm)	7.8	Length (mm)	300
Brand	SRT		

215980LS- HPLC Column, Sepax, SRT SEC-2000, 5 μm , 7.8 x
7815 150 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (μm)	5	Pore Size (\AA)	2000
ID (mm)	7.8	Length (mm)	150
Brand	SRT		

Part	Product Name
------	--------------

215980LS- HPLC Column, Sepax, SRT SEC-2000, 5 µm, 4.6 x
4630 300 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	2000
ID (mm)	4.6	Length (mm)	300
Brand	SRT		

215980LS- HPLC Column, Sepax, SRT SEC-2000, 5 µm, 4.6 x
4615 150 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	2000
ID (mm)	4.6	Length (mm)	150
Brand	SRT		

215980- HPLC Column, Sepax, SRT SEC-2000, 5 µm, 2000
7825 Å, 7.8 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	2000
ID (mm)	7.8	Length (mm)	250
Brand	SRT		

215980- HPLC Column, Sepax, SRT SEC-2000, 5 µm, 2000
7815 Å, 7.8 x 150 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	2000
ID (mm)	7.8	Length (mm)	150
Brand	SRT		

215980- HPLC Column, Sepax, SRT SEC-2000, 5 µm, 2000
4625 Å, 4.6 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	2000
ID (mm)	4.6	Length (mm)	250
Brand	SRT		

215980- HPLC Column, Sepax, SRT SEC-2000, 5 µm, 2000
4615 Å, 4.6 x 150 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	2000
ID (mm)	4.6	Length (mm)	150
Brand	SRT		

215980- HPLC Column, Sepax, SRT SEC-2000, 5 µm, 2000
21225 Å, 21.2 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	2000
ID (mm)	21.2	Length (mm)	250
Brand	SRT		

215980- HPLC Column, Sepax, SRT SEC-2000, 5 µm, 2000
21205 Å, 21.2 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	2000
ID (mm)	21.2	Length (mm)	50
Brand	SRT		

215980- HPLC Column, Sepax, SRT SEC-2000, 5 µm, 2000
10015 Å, 10 x 150 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	2000
ID (mm)	10	Length (mm)	150
Brand	SRT		

215980- HPLC Column, Sepax, SRT SEC-2000, 5 µm, 2000
10010 Å, 10 x 100 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	2000
ID (mm)	10	Length (mm)	100
Brand	SRT		

Part	Product Name
------	--------------

215980- HPLC Column, Sepax, SRT SEC-2000, 5 µm, 2000
10005 Å, 10 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	2000
ID (mm)	10	Length (mm)	50
Brand	SRT		

215950P- HPLC Column, Sepax, SRT SEC-1000 PEEK, 5
4605 µm, 1000 Å, 4.6 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	4.6	Length (mm)	50
Brand	SRT		

215500LS- HPLC Column, Sepax, SRT SEC-500, 5 µm, 4.6 x
4615 150 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	500
ID (mm)	4.6	Length (mm)	150
Brand	SRT		

215950LS- HPLC Column, Sepax, SRT SEC-1000, 5 µm, 7.8 x
7830 300 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	7.8	Length (mm)	300
Brand	SRT		

215950LS- HPLC Column, Sepax, SRT SEC-1000, 5 µm, 7.8 x
7815 150 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	7.8	Length (mm)	150
Brand	SRT		

215500- HPLC Column, Sepax, SRT SEC-500, 5 µm, 500
7825 Å, 7.8 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	500
ID (mm)	7.8	Length (mm)	250
Brand	SRT		

215950LS- HPLC Column, Sepax, SRT SEC-1000, 5 µm, 4.6 x
4630 300 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	4.6	Length (mm)	300
Brand	SRT		

215950LS- HPLC Column, Sepax, SRT SEC-1000, 5 µm, 4.6 x
4615 150 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	4.6	Length (mm)	150
Brand	SRT		

215950- HPLC Column, Sepax, SRT SEC-1000, 5 µm, 1000
7825 Å, 7.8 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	7.8	Length (mm)	250
Brand	SRT		

215500- HPLC Column, Sepax, SRT SEC-500, 5 µm, 500
4625 Å, 4.6 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	500
ID (mm)	4.6	Length (mm)	250
Brand	SRT		

Part	Product Name
------	--------------

215500- HPLC Column, Sepax, SRT SEC-500, 5 µm, 500
4615 Å, 4.6 x 150 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	500
ID (mm)	4.6	Length (mm)	150
Brand	SRT		

215950- HPLC Column, Sepax, SRT SEC-1000, 5 µm, 1000
4625 Å, 4.6 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	4.6	Length (mm)	250
Brand	SRT		

215500- HPLC Column, Sepax, SRT SEC-500, 5 µm, 500
21225 Å, 21.2 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	500
ID (mm)	21.2	Length (mm)	250
Brand	SRT		

215950- HPLC Column, Sepax, SRT SEC-1000, 5 µm, 1000
4615 Å, 4.6 x 150 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	4.6	Length (mm)	150
Brand	SRT		

215500- HPLC Column, Sepax, SRT SEC-500, 5 µm, 500
21205 Å, 21.2 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	500
ID (mm)	21.2	Length (mm)	50
Brand	SRT		

215500- HPLC Column, Sepax, SRT SEC-500, 5 µm, 500 Å
10030 10 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	500
ID (mm)	10	Length (mm)	300
Brand	SRT		

215500- HPLC Column, Sepax, SRT SEC-500, 5 µm, 500 Å
10025 10 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	500
ID (mm)	10	Length (mm)	250
Brand	SRT		

215950- HPLC Column, Sepax, SRT SEC-1000, 5 µm, 1000
21225 Å 21.2 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	21.2	Length (mm)	250
Brand	SRT		

215500- HPLC Column, Sepax, SRT SEC-500, 5 µm, 500 Å
10015 10 x 150 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	500
ID (mm)	10	Length (mm)	150
Brand	SRT		

215950- HPLC Column, Sepax, SRT SEC-1000, 5 µm, 1000
21205 Å 21.2 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	21.2	Length (mm)	50
Brand	SRT		

Part	Product Name
------	--------------

215500- HPLC Column, Sepax, SRT SEC-500, 5 µm, 500 Å
10010 10 x 100 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	500
ID (mm)	10	Length (mm)	100
Brand	SRT		

215950- HPLC Column, Sepax, SRT SEC-1000, 5 µm, 1000
10030 Å 10 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	10	Length (mm)	300
Brand	SRT		

215500- HPLC Column, Sepax, SRT SEC-500, 5 µm, 500 Å
10005 10 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	500
ID (mm)	10	Length (mm)	50
Brand	SRT		

215950- HPLC Column, Sepax, SRT SEC-1000, 5 µm, 1000
10025 Å 10 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	10	Length (mm)	250
Brand	SRT		

215300P- HPLC Column, Sepax, SRT SEC-300 PEEK, 5 µm,
4630 300 Å 4.6 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	300
ID (mm)	4.6	Length (mm)	300
Brand	SRT		

215950- HPLC Column, Sepax, SRT SEC-1000, 5 µm, 1000
10015 Å 10 x 150 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	10	Length (mm)	150
Brand	SRT		

215300P- HPLC Column, Sepax, SRT SEC-300 PEEK, 5 µm,
4605 300 Å 4.6 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	300
ID (mm)	4.6	Length (mm)	50
Brand	SRT		

215950- HPLC Column, Sepax, SRT SEC-1000, 5 µm, 1000
10010 Å 10 x 100 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	10	Length (mm)	100
Brand	SRT		

215300LS- HPLC Column, Sepax, SRT SEC-300, 5 µm, 7.8 x
7830 300 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	300
ID (mm)	7.8	Length (mm)	300
Brand	SRT		

215950- HPLC Column, Sepax, SRT SEC-1000, 5 µm, 1000
10005 Å 10 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	10	Length (mm)	50
Brand	SRT		

Part	Product Name
------	--------------

215300LS- HPLC Column, Sepax, SRT SEC-300, 5 µm, 7.8 x
7815 150 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	300
ID (mm)	7.8	Length (mm)	150
Brand	SRT		

215300LS- HPLC Column, Sepax, SRT SEC-300, 5 µm, 4.6 x
4630 300 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	300
ID (mm)	4.6	Length (mm)	300
Brand	SRT		

215300LS- HPLC Column, Sepax, SRT SEC-300, 5 µm, 4.6 x
4615 150 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	300
ID (mm)	4.6	Length (mm)	150
Brand	SRT		

215500LS- HPLC Column, Sepax, SRT SEC-500, 5 µm, 7.8 x
7830 300 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	500
ID (mm)	7.8	Length (mm)	300
Brand	SRT		

215500LS- HPLC Column, Sepax, SRT SEC-500, 5 µm, 7.8 x
7815 150 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	500
ID (mm)	7.8	Length (mm)	150
Brand	SRT		

215300- HPLC Column, Sepax, SRT SEC-300, 5 µm, 300 Å
7825 7.8 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	300
ID (mm)	7.8	Length (mm)	250
Brand	SRT		

215750P- HPLC Column, Sepax, SRT SEC-750 PEEK, 5 µm,
4630 750 Å 4.6 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	750
ID (mm)	4.6	Length (mm)	300
Brand	SRT		

215500LS- HPLC Column, Sepax, SRT SEC-500, 5 µm, 4.6 x
4630 300 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	500
ID (mm)	4.6	Length (mm)	300
Brand	SRT		

215300- HPLC Column, Sepax, SRT SEC-300, 5 µm, 300 Å
4615 4.6 x 150 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	300
ID (mm)	4.6	Length (mm)	150
Brand	SRT		

215300- HPLC Column, Sepax, SRT SEC-300, 5 µm, 300 Å
4605 4.6 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	300
ID (mm)	4.6	Length (mm)	50
Brand	SRT		

Part	Product Name
------	--------------

215300- HPLC Column, Sepax, SRT SEC-300, 5 µm, 300 Å
30030 30 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	300
ID (mm)	30	Length (mm)	300
Brand	SRT		

215300- HPLC Column, Sepax, SRT SEC-300, 5 µm, 300 Å
30025 30 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	300
ID (mm)	30	Length (mm)	250
Brand	SRT		

215300- HPLC Column, Sepax, SRT SEC-300, 5 µm, 300 Å
21230 21.2 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	300
ID (mm)	21.2	Length (mm)	300
Brand	SRT		

215300- HPLC Column, Sepax, SRT SEC-300, 5 µm, 300 Å
21225 21.2 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	300
ID (mm)	21.2	Length (mm)	250
Brand	SRT		

215300- HPLC Column, Sepax, SRT SEC-300, 5 µm, 300 Å
21205 21.2 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	300
ID (mm)	21.2	Length (mm)	50
Brand	SRT		

215300- HPLC Column, Sepax, SRT SEC-300, 5 µm, 300 Å
10025 10 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	300
ID (mm)	10	Length (mm)	250
Brand	SRT		

215100P- HPLC Column, Sepax, SRT SEC-100 PEEK , 5
4630 µm, 100 Å 4.6 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	100
ID (mm)	4.6	Length (mm)	300
Brand	SRT		

215300- HPLC Column, Sepax, SRT SEC-300, 5 µm, 300 Å
10015 10 x 150 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	300
ID (mm)	10	Length (mm)	150
Brand	SRT		

215100P- HPLC Column, Sepax, SRT SEC-100 PEEK , 5
4605 µm, 100 Å 4.6 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	100
ID (mm)	4.6	Length (mm)	50
Brand	SRT		

215300- HPLC Column, Sepax, SRT SEC-300, 5 µm, 300 Å
10010 10 x 100 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	300
ID (mm)	10	Length (mm)	100
Brand	SRT		

Part Product Name

215100LS- HPLC Column, Sepax, SRT SEC-100, 5 µm, 7.8 x
7830 300 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	100
ID (mm)	7.8	Length (mm)	300
Brand	SRT		

215300- HPLC Column, Sepax, SRT SEC-300, 5 µm, 300 Å
10005 10 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	300
ID (mm)	10	Length (mm)	50
Brand	SRT		

215100LS- HPLC Column, Sepax, SRT SEC-100, 5 µm, 7.8 x
7815 150 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	100
ID (mm)	7.8	Length (mm)	150
Brand	SRT		

215150P- HPLC Column, Sepax, SRT SEC-150 PEEK, 5 µm,
4630 150 A 4.6 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	150
ID (mm)	4.6	Length (mm)	300
Brand	SRT		

215100LS- HPLC Column, Sepax, SRT SEC-100, 5 µm, 4.6 x
4630 300 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	100
ID (mm)	4.6	Length (mm)	300
Brand	SRT		

215150P- HPLC Column, Sepax, SRT SEC-150 PEEK, 5 µm,
4605 150 A 4.6 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	150
ID (mm)	4.6	Length (mm)	50
Brand	SRT		

215100LS- HPLC Column, Sepax, SRT SEC-100, 5 µm, 4.6 x
4615 150 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	100
ID (mm)	4.6	Length (mm)	150
Brand	SRT		

215150LS- HPLC Column, Sepax, SRT SEC-150, 5 µm, 7.8 x
7830 300 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	150
ID (mm)	7.8	Length (mm)	300
Brand	SRT		

215100- HPLC Column, Sepax, SRT SEC-100, 5 µm, 100 Å
7830 7.8 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	100
ID (mm)	7.8	Length (mm)	300
Brand	SRT		

215150LS- HPLC Column, Sepax, SRT SEC-150, 5 µm, 7.8 x
7815 150 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	150
ID (mm)	7.8	Length (mm)	150
Brand	SRT		

Part Product Name

215100- HPLC Column, Sepax, SRT SEC-100, 5 µm, 100 Å
7825 7.8 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	100
ID (mm)	7.8	Length (mm)	250
Brand	SRT		

215150LS- HPLC Column, Sepax, SRT SEC-150, 5 µm, 4.6 x
4630 300 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	150
ID (mm)	4.6	Length (mm)	300
Brand	SRT		

215100- HPLC Column, Sepax, SRT SEC-100, 5 µm, 100 Å
7815 7.8 x 150 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	100
ID (mm)	7.8	Length (mm)	150
Brand	SRT		

215150LS- HPLC Column, Sepax, SRT SEC-150, 5 µm, 4.6 x
4615 150 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	150
ID (mm)	4.6	Length (mm)	150
Brand	SRT		

215100- HPLC Column, Sepax, SRT SEC-100, 5 µm, 100 Å
7805 7.8 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	100
ID (mm)	7.8	Length (mm)	50
Brand	SRT		

215100- HPLC Column, Sepax, SRT SEC-100, 5 µm, 100 Å
4630 4.6 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	100
ID (mm)	4.6	Length (mm)	300
Brand	SRT		

215100- HPLC Column, Sepax, SRT SEC-100, 5 µm, 100 Å
4625 4.6 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	100
ID (mm)	4.6	Length (mm)	250
Brand	SRT		

215100- HPLC Column, Sepax, SRT SEC-100, 5 µm, 100 Å
4615 4.6 x 150 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	100
ID (mm)	4.6	Length (mm)	150
Brand	SRT		

215100- HPLC Column, Sepax, SRT SEC-100, 5 µm, 100 Å
4605 4.6 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	100
ID (mm)	4.6	Length (mm)	50
Brand	SRT		

215100- HPLC Column, Sepax, SRT SEC-100, 5 µm, 100 Å
21230 21.2 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	100
ID (mm)	21.2	Length (mm)	300
Brand	SRT		

Part Product Name

215100- HPLC Column, Sepax, SRT SEC-100, 5 µm, 100 Å
21225 21.2 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	100
ID (mm)	21.2	Length (mm)	250
Brand	SRT		

215100- HPLC Column, Sepax, SRT SEC-100, 5 µm, 100 Å
21205 21.2 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	100
ID (mm)	21.2	Length (mm)	50
Brand	SRT		

215100- HPLC Column, Sepax, SRT SEC-100, 5 µm, 100 Å
10030 10 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	100
ID (mm)	10	Length (mm)	300
Brand	SRT		

215100- HPLC Column, Sepax, SRT SEC-100, 5 µm, 100 Å
10025 10 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	100
ID (mm)	10	Length (mm)	250
Brand	SRT		

215100- HPLC Column, Sepax, SRT SEC-100, 5 µm, 100 Å
10015 10 x 150 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	100
ID (mm)	10	Length (mm)	150
Brand	SRT		

215100- HPLC Column, Sepax, SRT SEC-100, 5 µm, 100 Å
10010 10 x 100 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	100
ID (mm)	10	Length (mm)	100
Brand	SRT		

215100- HPLC Column, Sepax, SRT SEC-100, 5 µm, 100 Å
10005 10 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	100
ID (mm)	10	Length (mm)	50
Brand	SRT		

215950LS- HPLC Guard Column, Sepax, SRT SEC-1000, 5
7805 µm, 1000 Å 7.8 x 50 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	7.8	Length (mm)	50
Brand	SRT		

215980LS- HPLC Guard Column, Sepax, SRT SEC-2000, 5
7805 µm, 2000 Å 7.8 x 50 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	2000
ID (mm)	7.8	Length (mm)	50
Brand	SRT		

215500P- HPLC Column, Sepax, SRT SEC-500 PEEK, 5 µm,
4615 500 Å 4.6 x 150 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	500
ID (mm)	4.6	Length (mm)	150
Brand	SRT		

Part	Product Name
------	--------------

215100- HPLC Column, Sepax, SRT, 5 µm, 100 Å, 30 x 300
30030 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	100
ID (mm)	30	Length (mm)	300
Brand	SRT		

215500- HPLC Column, Sepax, SRT SEC-500, 5 µm, 500 Å
21215 21.2 x 150 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	500
ID (mm)	21.2	Length (mm)	150
Brand	SRT		

215500LS- HPLC Guard Column, Sepax, SRT SEC-500, 5 µm,
4605 500 Å 4.6 x 50 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	500
ID (mm)	4.6	Length (mm)	50
Brand	SRT		

215980LS- HPLC Guard Column, Sepax, SRT SEC-2000, 5
4605 µm, 2000 Å 4.6 x 50 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	2000
ID (mm)	4.6	Length (mm)	50
Brand	SRT		

215300RS- Preparative-Scale LC Column Refill Service (To be
50030 used for Load and Lock column p/n 215300LL-
50030 only), Sepax, SRT SEC-300, 5 µm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	300
ID (mm)	50	Length (mm)	300

Brand	SRT
--------------	-----

215300LL- Preparative-Scale LC Column (Load and Lock),
50030 Sepax, SRT SEC-300, 5 µm, 300 Å 50 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	300
ID (mm)	50	Length (mm)	300
Brand	SRT		

215150RS- Preparative-Scale LC Column Refill Service (To be
50030 used for Load and Lock column p/n 215150LL-
50030 only), Sepax, SRT SEC-150, 5 µm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	150
ID (mm)	50	Length (mm)	300
Brand	SRT		

215150LL- Preparative-Scale LC Column (Load and Lock),
50030 Sepax, SRT SEC-150, 5 µm, 150 Å 50 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	150
ID (mm)	50	Length (mm)	300
Brand	SRT		

215100RS- Preparative-Scale LC Column Refill Service (To be
50030 used for Load and Lock column p/n 215100LL-
50030 only), Sepax, SRT SEC-100, 5 µm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	100
ID (mm)	50	Length (mm)	300
Brand	SRT		

215100LL- Preparative-Scale LC Column (Load and Lock),
50030 Sepax, SRT SEC-100, 5 µm, 100 Å 50 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	100
ID (mm)	50	Length (mm)	300

Part Product Name

215980P- HPLC Column, Sepax, SRT SEC-2000 PEEK, 5
4615 μm , 2000 Å 4.6 x 150 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (μm)	5	Pore Size (Å)	2000
ID (mm)	4.6	Length (mm)	150
Brand	SRT		

215750LS- HPLC Column, Sepax, SRT SEC-750, 5 μm , 750 Å
4630 4.6 x 300 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (μm)	5	Pore Size (Å)	750
ID (mm)	4.6	Length (mm)	300
Brand	SRT		

215750LS- HPLC Column, Sepax, SRT SEC-750, 5 μm , 750 Å
4605 4.6 x 50 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (μm)	5	Pore Size (Å)	750
ID (mm)	4.6	Length (mm)	50
Brand	SRT		

215950LS- HPLC Column, Sepax, SRT SEC-1000, 5 μm , 1000
4605 Å 4.6 x 50 mm, Light Scattering SEC

Separation Mode	SEC	Bead Type	Silica
Particle Size (μm)	5	Pore Size (Å)	1000
ID (mm)	4.6	Length (mm)	50
Brand	SRT		

215300- HPLC Column, Sepax, SRT SEC-300, 5 μm , 300 Å
21215 21.2 x 150 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (μm)	5	Pore Size (Å)	300
ID (mm)	21.2	Length (mm)	150
Brand	SRT		

215980P- HPLC Column, Sepax, SRT SEC-2000 PEEK, 5
4625 μm , 2000 Å 4.6 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (μm)	5	Pore Size (Å)	2000
ID (mm)	4.6	Length (mm)	250
Brand	SRT		

215980- HPLC Column, Sepax, SRT SEC-2000, 5 μm , 2000
4610 Å 4.6 x 100 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (μm)	5	Pore Size (Å)	2000
ID (mm)	4.6	Length (mm)	100
Brand	SRT		

215500- HPLC Column, Sepax, SRT SEC-500, 5 μm , 500 Å
50025 50 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (μm)	5	Pore Size (Å)	500
ID (mm)	50	Length (mm)	250
Brand	SRT		

215950- HPLC Column, Sepax, SRT SEC-1000, 5 μm , 1000
50030 Å 50 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (μm)	5	Pore Size (Å)	1000
ID (mm)	50	Length (mm)	300
Brand	SRT		

215950LL- Load and Lock DAC Column, Sepax, SRT SEC-
50030 1000, 5 μm , 1000 Å 50 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (μm)	5	Pore Size (Å)	1000
ID (mm)	50	Length (mm)	300
Brand	SRT		

Part Product Name

215150- HPLC Column, Sepax, SRT SEC-150, 5 µm, 150 A
10005 10 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	150
ID (mm)	10	Length (mm)	50
Brand	SRT		

215150- HPLC Column, Sepax, SRT SEC-150, 5 µm, 150 A
7815 7.8 x 150 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	150
ID (mm)	7.8	Length (mm)	150
Brand	SRT		

215150- HPLC Column, Sepax, SRT SEC-150, 5 µm, 150 A
7805 7.8 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	150
ID (mm)	7.8	Length (mm)	50
Brand	SRT		

215150- HPLC Column, Sepax, SRT SEC-150, 5 µm, 150 A
4630 4.6 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	150
ID (mm)	4.6	Length (mm)	300
Brand	SRT		

215150- HPLC Column, Sepax, SRT SEC-150, 5 µm, 150 A
4625 4.6 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	150
ID (mm)	4.6	Length (mm)	250
Brand	SRT		

215150- HPLC Column, Sepax, SRT SEC-150, 5 µm, 150 A
4615 4.6 x 150 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	150
ID (mm)	4.6	Length (mm)	150
Brand	SRT		

215150- HPLC Column, Sepax, SRT SEC-150, 5 µm, 150 A
4605 4.6 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	150
ID (mm)	4.6	Length (mm)	50
Brand	SRT		

215150- HPLC Column, Sepax, SRT SEC-150, 5 µm, 150 A
21230 21.2 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	150
ID (mm)	21.2	Length (mm)	300
Brand	SRT		

215150- HPLC Column, Sepax, SRT SEC-150, 5 µm, 150 A
21225 21.2 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	150
ID (mm)	21.2	Length (mm)	250
Brand	SRT		

215150- HPLC Column, Sepax, SRT SEC-150, 5 µm, 150 A
21205 21.2 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	150
ID (mm)	21.2	Length (mm)	50
Brand	SRT		

Part	Product Name
------	--------------

215150- HPLC Column, Sepax, SRT SEC-150, 5 µm, 150 A
10030 10 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	150
ID (mm)	10	Length (mm)	300
Brand	SRT		

215150- HPLC Column, Sepax, SRT SEC-150, 5 µm, 150 A
10025 10 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	150
ID (mm)	10	Length (mm)	250
Brand	SRT		

215150- HPLC Column, Sepax, SRT SEC-150, 5 µm, 150 A
10015 10 x 150 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	150
ID (mm)	10	Length (mm)	150
Brand	SRT		

215150- HPLC Column, Sepax, SRT SEC-150, 5 µm, 150 A
10010 10 x 100 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	150
ID (mm)	10	Length (mm)	100
Brand	SRT		

215150- HPLC Column, Sepax, SRT SEC-150, 5 µm, 150 A
30030 30 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	150
ID (mm)	30	Length (mm)	300
Brand	SRT		

215500- HPLC Column, Sepax, SRT SEC-500, 5 µm, 500 Å
7815 7.8 x 150 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	500
ID (mm)	7.8	Length (mm)	150
Brand	SRT		

215300- HPLC Column, Sepax, SRT SEC-300, 5 µm, 300 Å
7815 7.8 x 150 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	300
ID (mm)	7.8	Length (mm)	150
Brand	SRT		

215300- HPLC Column, Sepax, SRT SEC-300, 5 µm, 300 Å
7805 7.8 x 50 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	300
ID (mm)	7.8	Length (mm)	50
Brand	SRT		

215950- HPLC Column, Sepax, SRT SEC-1000, 5 µm, 1000
7815 Å 7.8 x 150 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	1000
ID (mm)	7.8	Length (mm)	150
Brand	SRT		

215300- HPLC Column, Sepax, SRT SEC-300, 5 µm, 300 Å
4625 4.6 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	300
ID (mm)	4.6	Length (mm)	250
Brand	SRT		

Part Product Name

215300- HPLC Column, Sepax, SRT SEC-300, 5 µm, 300 Å
10030 10 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	300
ID (mm)	10	Length (mm)	300
Brand	SRT		

215150- HPLC Column, Sepax, SRT SEC-150, 5 µm, 150 Å
7830 7.8 x 300 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	150
ID (mm)	7.8	Length (mm)	300
Brand	SRT		

215150- HPLC Column, Sepax, SRT SEC-150, 5 µm, 150 Å,
7825 7.8 x 250 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	5	Pore Size (Å)	150
ID (mm)	7.8	Length (mm)	250
Brand	SRT		

213300MK- HPLC Column, Sepax, SEC-300, 3 µm, 7.8 x 300
7830 mm

Separation Mode	SEC	Bead Type	Silica
Particle Size (µm)	3	Pore Size (Å)	300
ID (mm)	7.8	Length (mm)	300

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: sxc@nt-rt.ru || сайт: <https://sepax.nt-rt.ru/>