

# Аналитические колонки SRT-10 SEC, SRT-10C SEC

## Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: [sxc@nt-rt.ru](mailto:sxc@nt-rt.ru) || сайт: <https://sepax.nt-rt.ru/>

Part	Product Name
------	--------------

225950- HPLC Column, Sepax, SRT-10 SEC-1000, 10 µm,  
10005 1000 Å, 10 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	1000
<b>ID (mm)</b>	10	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10		

225500- HPLC Column, Sepax, SRT-10 SEC-500, 10 µm,  
7830 500 Å, 7.8 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	7.8	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10		

225500- HPLC Column, Sepax, SRT-10 SEC-500, 10 µm,  
7805 500 Å, 7.8 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	7.8	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10		

225500- HPLC Column, Sepax, SRT-10 SEC-500, 10 µm,  
4630 500 Å, 4.6 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	4.6	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10		

225500- HPLC Column, Sepax, SRT-10 SEC-500, 10 µm,  
4605 500 Å, 4.6 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	4.6	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10		

225500- HPLC Column, Sepax, SRT-10 SEC-500, 10 µm,  
30030 500 Å, 30 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	30	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10		

225500- HPLC Column, Sepax, SRT-10 SEC-500, 10 µm,  
30025 500 Å, 30 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	30	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10		

225500- HPLC Column, Sepax, SRT-10 SEC-500, 10 µm,  
30015 500 Å, 30 x 150 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	30	<b>Length (mm)</b>	150
<b>Brand</b>	SRT-10		

225950- HPLC Column, Sepax, SRT-10 SEC-1000, 10 µm,  
7830 1000 Å, 7.8 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	1000
<b>ID (mm)</b>	7.8	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10		

225500- HPLC Column, Sepax, SRT-10 SEC-500, 10 µm,  
21230 500 Å, 21.2 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	300

Part	Product Name
------	--------------

225950- HPLC Column, Sepax, SRT-10 SEC-1000, 10 µm,  
7805 1000 Å, 7.8 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	1000
<b>ID (mm)</b>	7.8	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10		

225500- HPLC Column, Sepax, SRT-10 SEC-500, 10 µm,  
21205 500 Å, 21.2 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10		

225950- HPLC Column, Sepax, SRT-10 SEC-1000, 10 µm,  
4630 1000 Å, 4.6 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	1000
<b>ID (mm)</b>	4.6	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10		

225950- HPLC Column, Sepax, SRT-10 SEC-1000, 10 µm,  
4605 1000 Å, 4.6 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	1000
<b>ID (mm)</b>	4.6	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10		

225500- HPLC Column, Sepax, SRT-10 SEC-500, 10 µm,  
10030 500 Å, 10 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	10	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10		

225500- HPLC Column, Sepax, SRT-10 SEC-500, 10 µm,  
10005 500 Å, 10 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	10	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10		

225950- HPLC Column, Sepax, SRT-10 SEC-1000, 10 µm,  
30030 1000 Å, 30 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	1000
<b>ID (mm)</b>	30	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10		

225300- HPLC Column, Sepax, SRT-10 SEC-300, 10 µm,  
7830 300 Å, 7.8 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	7.8	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10		

225950- HPLC Column, Sepax, SRT-10 SEC-1000, 10 µm,  
30025 1000 Å, 30 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	1000
<b>ID (mm)</b>	30	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10		

225300- HPLC Column, Sepax, SRT-10 SEC-300, 10 µm,  
7805 300 Å, 7.8 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	7.8	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10		

Part	Product Name
------	--------------

225950- HPLC Column, Sepax, SRT-10 SEC-1000, 10 µm,  
30015 1000 Å, 30 x 150 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	1000
<b>ID (mm)</b>	30	<b>Length (mm)</b>	150
<b>Brand</b>	SRT-10		

225300- HPLC Column, Sepax, SRT-10 SEC-300, 10 µm,  
4630 300 Å, 4.6 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	4.6	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10		

225300- HPLC Column, Sepax, SRT-10 SEC-300, 10 µm,  
4605 300 Å, 4.6 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	4.6	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10		

225950- HPLC Column, Sepax, SRT-10 SEC-1000, 10 µm,  
21230 1000 Å, 21.2 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	1000
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10		

225950- HPLC Column, Sepax, SRT-10 SEC-1000, 10 µm,  
21205 1000 Å, 21.2 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	1000
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10		

225300- HPLC Column, Sepax, SRT-10 SEC-300, 10 µm,  
30030 300 Å, 30 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	30	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10		

225950- HPLC Column, Sepax, SRT-10 SEC-1000, 10 µm,  
10030 1000 Å, 10 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	1000
<b>ID (mm)</b>	10	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10		

225300- HPLC Column, Sepax, SRT-10 SEC-300, 10 µm,  
30025 300 Å, 30 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	30	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10		

225300- HPLC Column, Sepax, SRT-10 SEC-300, 10 µm,  
30015 300 Å, 30 x 150 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	30	<b>Length (mm)</b>	150
<b>Brand</b>	SRT-10		

225300- HPLC Column, Sepax, SRT-10 SEC-300, 10 µm,  
21205 300 Å, 21.2 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10		

Part	Product Name
------	--------------

225300- HPLC Column, Sepax, SRT-10 SEC-300, 10 µm,  
10005 300 Å, 10 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	10	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10		

225100- HPLC Column, Sepax, SRT-10 SEC-100, 10 µm,  
30030 100 Å, 30 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	30	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10		

225100- HPLC Column, Sepax, SRT-10 SEC-100, 10 µm,  
30025 100 Å, 30 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	30	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10		

225100- HPLC Column, Sepax, SRT-10 SEC-100, 10 µm,  
30015 100 Å, 30 x 150 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	30	<b>Length (mm)</b>	150
<b>Brand</b>	SRT-10		

225100- HPLC Column, Sepax, SRT-10 SEC-100, 10 µm,  
21230 100 Å, 21.2 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10		

225100- HPLC Column, Sepax, SRT-10 SEC-100, 10 µm,  
21205 100 Å, 21.2 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10		

225100- HPLC Column, Sepax, SRT-10 SEC-100, 10 µm,  
10030 100 Å, 10 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	10	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10		

225100- HPLC Column, Sepax, SRT-10 SEC-100, 10 µm,  
10005 100 Å, 10 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	10	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10		

225300- HPLC Column, Sepax, SRT-10 SEC-300, 10 µm,  
21210 300 Å, 21.2 x 100 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	100
<b>Brand</b>	SRT-10		

225100- HPLC Column, Sepax, SRT-10 SEC-100, 10 µm,  
21215 100 Å, 21.2 x 150 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	150
<b>Brand</b>	SRT-10		

Part	Product Name
------	--------------

225300- HPLC Column, Sepax, SRT-10 SEC-300, 10 µm,  
21215 300 Å, 21.2 x 150 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	150
<b>Brand</b>	SRT-10		

225500- HPLC Column, Sepax, SRT-10 SEC-500, 10 µm,  
50025 500 Å, 50 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	50	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10		

225100- HPLC Column, Sepax, SRT-10 SEC-100, 10 µm,  
50025 100 Å, 50 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	50	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10		

225980- HPLC Column, Sepax, SRT-10 SEC-2000, 10 µm,  
4605 2000 Å, 4.6 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	2000
<b>ID (mm)</b>	4.6	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10		

225300- HPLC Column, Sepax, SRT-10 SEC-300, 10 µm,  
30005 300 Å, 30 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	30	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10		

225980- HPLC Column, Sepax, SRT-10 SEC-2000, 10 µm,  
30030 2000 Å, 30 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	2000
<b>ID (mm)</b>	30	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10		

225980- HPLC Guard Column, Sepax, SRT-10 SEC-2000,  
21205 10 µm, 2000 Å, 21.2 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	2000
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10		

225980- HPLC Column, Sepax, SRT-10 SEC-2000, 10 µm,  
7830 2000 Å, 7.8 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	2000
<b>ID (mm)</b>	7.8	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10		

225980- HPLC Guard Column, Sepax, SRT-10 SEC-2000,  
7805 10 µm, 2000 Å, 7.8 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	2000
<b>ID (mm)</b>	7.8	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10		

225980- HPLC Column, Sepax, SRT-10 SEC-2000, 10 µm,  
4630 2000 Å, 4.6 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	2000
<b>ID (mm)</b>	4.6	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10		

Part	Product Name
------	--------------

225100- 21201C	HPLC Column, Sepax, SRT-10 SEC-100, 10 µm, 100 Å, 21.2 x 10 mm, Guard cartridge with holder
-------------------	--

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	10
<b>Brand</b>	SRT-10		

225980- 21230	HPLC Column, Sepax, SRT-10 SEC-2000, 10 µm, 2000 Å, 21.2 x 300 mm
------------------	--

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	2000
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10		

225100LL- 50025	Preparative-Scale LC Column (Load and Lock), Sepax, SRT-10 SEC-100, 10 µm, 100 Å, 50 x 250 mm
--------------------	---

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>Brand</b>	SRT-10		

225300- 50025	HPLC Column, Sepax, SRT-10 SEC-300, 10 µm, 300 Å, 50 x 250 mm
------------------	--

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	50	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10		

225100- 21225	HPLC Column, Sepax, SRT-10 SEC-100, 10 µm, 100 Å, 21.2 x 250 mm
------------------	--

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10		

225980- HPLC Column, Sepax, SRT-10 SEC-2000, 10 µm,  
4625 2000 Å, 4.6 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	2000
<b>ID (mm)</b>	4.6	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10		

225300- HPLC Column, Sepax, SRT-10 SEC-300, 10 µm,  
21225 300 Å, 21.2 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10		

225500- HPLC Column, Sepax, SRT-10 SEC-500, 10 µm,  
21225 500 Å, 21.2 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10		

225300- HPLC Column, Sepax, SRT-10 SEC-300, 10 µm,  
10025 300 Å, 10 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	10	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10		

225500- HPLC Column, Sepax, SRT-10 SEC-500, 10 µm,  
10025 500 Å, 10 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	10	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10		

Part	Product Name
------	--------------

225950- HPLC Column, Sepax, SRT-10 SEC-1000, 10 µm,  
10025 1000 Å, 10 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	1000
<b>ID (mm)</b>	10	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10		

225950- HPLC Column, Sepax, SRT-10 SEC-1000, 10 µm,  
21225 1000 Å, 21.2 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	1000
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10		

225100- HPLC Column, Sepax, SRT-10 SEC-100, 10 µm,  
10025 100 Å, 10 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	10	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10		

225980- HPLC Column, Sepax, SRT-10 SEC-2000, 10 µm,  
7815 2000 Å, 7.8 x 150 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	2000
<b>ID (mm)</b>	7.8	<b>Length (mm)</b>	150
<b>Brand</b>	SRT-10		

225980LS- HPLC Column, Sepax, SRT-10 SEC-2000, 10 µm,  
7815 2000 Å, 7.8 x 150 mm, Light Scattering SEC

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	2000
<b>ID (mm)</b>	7.8	<b>Length (mm)</b>	150
<b>Brand</b>	SRT-10		

225980- HPLC Column, Sepax, SRT-10 SEC-2000, 10 µm,  
50025 2000 Å, 50 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	2000
<b>ID (mm)</b>	50	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10		

225300- HPLC Column, Sepax, SRT-10 SEC-300, 10 µm,  
50030 300 Å, 50 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	50	<b>Length (mm)</b>	300
<b>Brand</b>	SRT		

225980- HPLC Column, Sepax, SRT-10 SEC-2000, 10 µm,  
10030 2000 Å, 10 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	2000
<b>ID (mm)</b>	2.1	<b>Length (mm)</b>	30
<b>Brand</b>	SRT-10C		

225300- HPLC Column, Sepax, SRT-10 SEC-300, 10 µm,  
10030 300 Å, 10 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10		

225300- HPLC Column, Sepax, SRT-10 SEC-300, 10 µm,  
21230 300 Å, 21.2 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10		

Part	Product Name
------	--------------

225300LL- Load and Lock- SRT-10 SEC-300, 10  $\mu\text{m}$ , 300  $\text{\AA}$ ,  
50025L&L 50 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (<math>\mu\text{m}</math>)</b>	10	<b>Pore Size (<math>\text{\AA}</math>)</b>	300
<b>ID (mm)</b>	50	<b>Length (mm)</b>	250

---

Part	Product Name
------	--------------

239100- HPLC Column, Sepax, SRT-10C SEC-100, 10 µm,  
10030 100 Å, 10 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	10	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10C		

239100- HPLC Column, Sepax, SRT-10C SEC-100, 10 µm,  
30030 100 Å, 30 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	30	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10C		

239300- HPLC Column, Sepax, SRT-10C SEC-300, 10 µm,  
10005 300 Å, 10 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	10	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10C		

239300- HPLC Column, Sepax, SRT-10C SEC-300, 10 µm,  
10030 300 Å, 10 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	10	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10C		

239300- HPLC Column, Sepax, SRT-10C SEC-300, 10 µm,  
21205 300 Å, 21.2 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10C		

239300- HPLC Column, Sepax, SRT-10C SEC-300, 10 µm,  
21230 300 Å, 21.2 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10C		

239300- HPLC Column, Sepax, SRT-10C SEC-300, 10 µm,  
30030 300 Å, 30 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	30	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10C		

239300- HPLC Column, Sepax, SRT-10C SEC-300, 10 µm,  
50025 300 Å, 50 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	50	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10C		

239300- HPLC Column, Sepax, SRT-10C SEC-300, 10 µm,  
7830 300 Å, 7.8 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	7.8	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10C		

239500- HPLC Column, Sepax, SRT-10C SEC-500, 10 µm,  
10005 500 Å, 10 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	10	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10C		

Part	Product Name
------	--------------

239500- HPLC Column, Sepax, SRT-10C SEC-500, 10 µm,  
10030 500 Å, 10 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	10	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10C		

239500- HPLC Column, Sepax, SRT-10C SEC-500, 10 µm,  
4630 500 Å, 4.6 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	4.6	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10C		

239950- HPLC Column, Sepax, SRT-10C SEC-1000, 10  
4630 µm, 1000 Å, 4.6 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	1000
<b>ID (mm)</b>	4.6	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10C		

239950- HPLC Column, Sepax, SRT-10C SEC-1000, 10  
7805 µm, 1000 Å, 7.8 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	1000
<b>ID (mm)</b>	7.8	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10C		

239950- HPLC Column, Sepax, SRT-10C SEC-1000, 10  
7830 µm, 1000 Å, 7.8 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	1000
<b>ID (mm)</b>	7.8	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10C		

239300- HPLC Column, Sepax, SRT-10C SEC-300, 10 µm,  
30015 300 Å, 30 x 150 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	30	<b>Length (mm)</b>	150
<b>Brand</b>	SRT-10C		

239300- HPLC Column, Sepax, SRT-10C SEC-300, 10 µm,  
30025 300 Å, 30 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	30	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10C		

239300LS- HPLC Column, Sepax, SRT-10C SEC-300, 10 µm,  
4630 4.6 x 300 mm, Light Scattering SEC

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	4.6	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10C		

239300LS- HPLC Column, Sepax, SRT-10C SEC-300, 10 µm,  
7830 7.8 x 300 mm, Light Scattering SEC

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	7.8	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10C		

239300- HPLC Column, Sepax, SRT-10C SEC-300, 10 µm,  
4605 300 Å, 4.6 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	4.6	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10C		

Part	Product Name
------	--------------

239300- HPLC Column, Sepax, SRT-10C SEC-300, 10 µm,  
4630 300 Å, 4.6 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	4.6	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10C		

239300LL- Sepax, SRT-10C SEC-300, 10 µm, 300 Å, 50 x 300  
50030 mm, packed in Load & Lock column hardware with  
dynamic or static axial compression (DAC/SAC)

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	50	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10C		

239300- HPLC Column, Sepax, SRT-10C SEC-300, 10 µm,  
7805 300 Å, 7.8 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	7.8	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10C		

239100- HPLC Column, Sepax, SRT-10C SEC-100, 10 µm,  
10005 100 Å, 10 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	10	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10C		

239100- HPLC Column, Sepax, SRT-10C SEC-100, 10 µm,  
21205 100 Å, 21.2 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	50

239100- HPLC Column, Sepax, SRT-10C SEC-100, 10 µm,  
21230 100 Å 21.2 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10C		

239500- HPLC Column, Sepax, SRT-10C SEC-500, 10 µm,  
21205 500 Å, 21.2 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10C		

239500- HPLC Column, Sepax, SRT-10C SEC-500, 10 µm,  
21230 500 Å, 21.2 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10C		

239100- HPLC Column, Sepax, SRT-10C SEC-100, 10 µm,  
30025 100 Å, 30 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	30	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10C		

239500- HPLC Column, Sepax, SRT-10C SEC-500, 10 µm,  
30025 500 Å, 30 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	30	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10C		

Part	Product Name
------	--------------

239500- HPLC Column, Sepax, SRT-10C SEC-500, 10 µm,  
30030 500 Å, 30 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	30	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10C		

239500- HPLC Column, Sepax, SRT-10C SEC-500, 10 µm,  
4605 500 Å, 4.6 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	4.6	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10C		

239100- HPLC Column, Sepax, SRT-10C SEC-100, 10 µm,  
7830 100 Å, 7.8 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	7.8	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10C		

239500- HPLC Column, Sepax, SRT-10C SEC-500, 10 µm,  
7805 500 Å, 7.8 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	7.8	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10C		

239500- HPLC Column, Sepax, SRT-10C SEC-500, 10 µm,  
7830 500 Å, 7.8 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	7.8	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10C		

239950- HPLC Column, Sepax, SRT-10C SEC-1000, 10  
10005  $\mu\text{m}$ , 1000 Å, 10 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (<math>\mu\text{m}</math>)</b>	10	<b>Pore Size (Å)</b>	1000
<b>ID (mm)</b>	10	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10C		

239950- HPLC Column, Sepax, SRT-10C SEC-1000, 10  
10030  $\mu\text{m}$ , 1000 Å, 10 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (<math>\mu\text{m}</math>)</b>	10	<b>Pore Size (Å)</b>	1000
<b>ID (mm)</b>	10	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10C		

239950- HPLC Column, Sepax, SRT-10C SEC-1000, 10  
21205  $\mu\text{m}$ , 1000 Å, 21.2 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (<math>\mu\text{m}</math>)</b>	10	<b>Pore Size (Å)</b>	1000
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10C		

239950- HPLC Column, Sepax, SRT-10C SEC-1000, 10  
21230  $\mu\text{m}$ , 1000 Å, 21.2 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (<math>\mu\text{m}</math>)</b>	10	<b>Pore Size (Å)</b>	1000
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10C		

239950- HPLC Column, Sepax, SRT-10C SEC-1000, 10  
30015  $\mu\text{m}$ , 1000 Å, 30 x 150 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (<math>\mu\text{m}</math>)</b>	10	<b>Pore Size (Å)</b>	1000
<b>ID (mm)</b>	30	<b>Length (mm)</b>	150
<b>Brand</b>	SRT-10C		

Part	Product Name
------	--------------

239950- HPLC Column, Sepax, SRT-10C SEC-1000, 10  
30025  $\mu\text{m}$ , 1000 Å, 30 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (<math>\mu\text{m}</math>)</b>	10	<b>Pore Size (Å)</b>	1000
<b>ID (mm)</b>	30	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10C		

239950- HPLC Column, Sepax, SRT-10C SEC-1000, 10  
30030  $\mu\text{m}$ , 1000 Å, 30 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (<math>\mu\text{m}</math>)</b>	10	<b>Pore Size (Å)</b>	1000
<b>ID (mm)</b>	30	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10C		

239950- HPLC Column, Sepax, SRT-10C SEC-1000, 10  
4605  $\mu\text{m}$ , 1000 Å, 4.6 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (<math>\mu\text{m}</math>)</b>	10	<b>Pore Size (Å)</b>	1000
<b>ID (mm)</b>	4.6	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10C		

239300LL- Sepax, SRT-10C SEC-300, 10  $\mu\text{m}$ , 300 Å, 50 x 250  
50025 mm, packed in Load & Lock column hardware with  
dynamic or static axial compression (DAC/SAC)

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (<math>\mu\text{m}</math>)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	50	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10C		

239300- HPLC Column, Sepax, SRT-10C SEC-300, 10  $\mu\text{m}$ ,  
30005 300 Å, 30 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (<math>\mu\text{m}</math>)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	30	<b>Length (mm)</b>	50

239100- Sepax Column, SRT-10C SEC-100, 10 µm, 100 Å,  
50005 50 x 50 mm packed in conventional stainless steel  
hardware

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	50	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10C		

239300- Sepax, SRT-10C SEC-300, 10 µm, 300 Å, 50 x 150  
50015 mm packed in conventional stainless steel  
hardware

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	50	<b>Length (mm)</b>	150
<b>Brand</b>	SRT-10C		

239100- Sepax, SRT-10C SEC-100, 10 µm, 100 Å, 50 x 150  
50015 mm packed in conventional stainless steel  
hardware

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	50	<b>Length (mm)</b>	150
<b>Brand</b>	SRT-10C		

239100- HPLC Column, Sepax, SRT-10C SEC-100, 10 µm,  
30005 100 Å, 30 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	30	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10C		

239100- Sepax, SRT-10C SEC-100, 10 µm, 100 Å, 50 x 250  
50025 mm packed in conventional stainless steel  
hardware

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	50	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10C		

Part	Product Name
------	--------------

239100- HPLC Column, Sepax, SRT-10C SEC-100, 10 µm,  
21225 100 Å, 21.2 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10C		

239100- HPLC Column, Sepax, SRT-10C SEC-100, 10 µm,  
10025 100 Å, 10 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	10	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10C		

239300- HPLC Column, Sepax, SRT-10C SEC-300, 10 µm,  
10025 300 Å, 10 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	10	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10C		

239500- HPLC Column, Sepax, SRT-10C SEC-500, 10 µm,  
10025 500 Å, 10 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	10	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10C		

239950- HPLC Column, Sepax, SRT-10C SEC-1000, 10  
10025 µm, 1000 Å, 10 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	1000
<b>ID (mm)</b>	10	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10C		

239500- HPLC Column, Sepax, SRT-10C SEC-500, 10 µm,  
21225 500 Å, 21.2 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10C		

239950- HPLC Column, Sepax, SRT-10C SEC-1000, 10  
21225 µm, 1000 Å, 21.2 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	1000
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10C		

239980- HPLC Column, Sepax, SRT-10C SEC-2000, 10  
10030 µm, 2000 Å, 10 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	2000
<b>ID (mm)</b>	10	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10C		

239980- HPLC Column, Sepax, SRT-10C SEC-2000, 10  
10005 µm, 2000 Å, 10 x 50 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	2000
<b>ID (mm)</b>	10	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10C		

239980- HPLC Column, Sepax, SRT-10C SEC-2000, 10  
7830 µm, 2000 Å, 7.8 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	2000
<b>ID (mm)</b>	7.8	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10C		

Part	Product Name
------	--------------

239980- HPLC Column, Sepax, SRT-10C SEC-2000, 10  
21230  $\mu\text{m}$ , 2000 Å, 21.2 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (<math>\mu\text{m}</math>)</b>	10	<b>Pore Size (Å)</b>	2000
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10C		

239300- Sepax Guard Column, SRT-10C SEC-300, 10  $\mu\text{m}$ ,  
50005 300 Å, 50 x 50 mm packed in conventional  
stainless steel hardware

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (<math>\mu\text{m}</math>)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	50	<b>Length (mm)</b>	50
<b>Brand</b>	SRT-10C		

239300- HPLC Column, Sepax, SRT-10C SEC-300, 10  $\mu\text{m}$ ,  
21225 300 Å, 21.2 x 250 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (<math>\mu\text{m}</math>)</b>	10	<b>Pore Size (Å)</b>	300
<b>ID (mm)</b>	21.2	<b>Length (mm)</b>	250
<b>Brand</b>	SRT-10C		

225100- HPLC Column, Sepax, SRT-10 SEC-100, 10  $\mu\text{m}$ ,  
7830 100 Å, 7.8 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (<math>\mu\text{m}</math>)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	4.6	<b>Length (mm)</b>	300
<b>Brand</b>	SRT-10		

225100- HPLC Column, Sepax, SRT-10 SEC-100, 10  $\mu\text{m}$ ,  
4630 100 Å, 4.6 x 300 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (<math>\mu\text{m}</math>)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	4.6	<b>Length (mm)</b>	300

<b>Brand</b>	SRT-10
--------------	--------

239100- HPLC Column, Sepax, SRT-10C SEC-100, 10 µm,  
30015 100 Å, 30 x 150 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	100
<b>ID (mm)</b>	30	<b>Length (mm)</b>	150
<b>Brand</b>	SRT-10C		

239500- HPLC Column, Sepax, SRT-10C SEC-500, 10 µm,  
30015 500 Å, 30 x 150 mm

<b>Separation Mode</b>	SEC	<b>Bead Type</b>	Silica
<b>Particle Size (µm)</b>	10	<b>Pore Size (Å)</b>	500
<b>ID (mm)</b>	30	<b>Length (mm)</b>	150
<b>Brand</b>	SRT-10C		

## По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

**Россия** +7(495)268-04-70

**Казахстан** +(727)345-47-04

**Беларусь** +(375)257-127-884

**Узбекистан** +998(71)205-18-59

**Киргизия** +996(312)96-26-47

эл.почта: [sxc@nt-rt.ru](mailto:sxc@nt-rt.ru) || сайт: <https://sepax.nt-rt.ru/>