

Аналитические колонки Zenix-C SEC

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: sxc@nt-rt.ru || сайт: <https://sepax.nt-rt.ru/>

| Part | Product Name |
|------|--------------|
|------|--------------|

233100- HPLC Column, Sepax, Zenix-C SEC-100 3 µm, 7.8
7820 x 200 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 150 |
| ID (mm) | 7.8 | Length (mm) | 200 |
| Brand | Zenix-C | | |

233150- HPLC Column, Sepax, Zenix-C SEC-150, 3 µm,
7825 7.8 x 250 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 150 |
| ID (mm) | 7.8 | Length (mm) | 250 |
| Brand | Zenix-C | | |

233150- HPLC Column, Sepax, Zenix-C SEC-150, 3 µm,
7815 7.8 x 150 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 150 |
| ID (mm) | 7.8 | Length (mm) | 150 |
| Brand | Zenix-C | | |

233300- HPLC Column, Sepax, Zenix-C SEC-300, 3 µm,
7825 7.8 x 250 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 300 |
| ID (mm) | 7.8 | Length (mm) | 250 |
| Brand | Zenix-C | | |

233150- HPLC Column, Sepax, Zenix-C SEC-150, 3 µm,
7805 7.8 x 50 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 150 |
| ID (mm) | 7.8 | Length (mm) | 50 |
| Brand | Zenix-C | | |

233300- HPLC Column, Sepax, Zenix-C SEC-300, 3 µm,
7820 7.8 x 200 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 300 |
| ID (mm) | 7.8 | Length (mm) | 200 |
| Brand | Zenix-C | | |

233150- HPLC Column, Sepax, Zenix-C SEC-150, 3 µm,
4630 4.6 x 300 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 150 |
| ID (mm) | 4.6 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233300- HPLC Column, Sepax, Zenix-C SEC-300, 3 µm,
7815 7.8 x 150 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 300 |
| ID (mm) | 7.8 | Length (mm) | 150 |
| Brand | Zenix-C | | |

233150- HPLC Column, Sepax, Zenix-C SEC-150, 3 µm,
4625 4.6 x 250 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 150 |
| ID (mm) | 4.6 | Length (mm) | 250 |
| Brand | Zenix-C | | |

233300- HPLC Column, Sepax, Zenix-C SEC-300, 3 µm,
7805 7.8 x 50 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 300 |
| ID (mm) | 7.8 | Length (mm) | 50 |
| Brand | Zenix-C | | |

| Part | Product Name |
|------|--------------|
|------|--------------|

233150- HPLC Column, Sepax, Zenix-C SEC-150, 3 µm,
4615 4.6 x 150 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 150 |
| ID (mm) | 4.6 | Length (mm) | 150 |
| Brand | Zenix-C | | |

233150- HPLC Column, Sepax, Zenix-C SEC-150, 3 µm,
4605 4.6 x 50 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 150 |
| ID (mm) | 4.6 | Length (mm) | 50 |
| Brand | Zenix-C | | |

233300- HPLC Column, Sepax, Zenix-C SEC-300, 3 µm,
4625 4.6 x 250 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 300 |
| ID (mm) | 4.6 | Length (mm) | 250 |
| Brand | Zenix-C | | |

233150- HPLC Column, Sepax, Zenix-C SEC-150, 3 µm,
21230 150 A 21.2 x 300 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 150 |
| ID (mm) | 21.2 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233300- HPLC Column, Sepax, Zenix-C SEC-300, 3 µm,
4615 4.6 x 150 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 300 |
| ID (mm) | 4.6 | Length (mm) | 150 |
| Brand | Zenix-C | | |

233150- HPLC Column, Sepax, Zenix-C SEC-150, 3 µm,
21225 150 A 21.2 x 250 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 150 |
| ID (mm) | 21.2 | Length (mm) | 250 |
| Brand | Zenix-C | | |

233300- HPLC Column, Sepax, Zenix-C SEC-300, 3 µm,
4605 4.6 x 50 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 300 |
| ID (mm) | 4.6 | Length (mm) | 50 |
| Brand | Zenix-C | | |

233150- HPLC Column, Sepax, Zenix-C SEC-150, 3 µm,
21205 150 A 21.2 x 50 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 150 |
| ID (mm) | 21.2 | Length (mm) | 50 |
| Brand | Zenix-C | | |

233300- HPLC Column, Sepax, Zenix-C SEC-300, 3 µm,
2130 2.1 x 300 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 300 |
| ID (mm) | 2.1 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233150- HPLC Column, Sepax, Zenix-C SEC-150, 3 µm,
10030 150 A 10 x 300 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 150 |
| ID (mm) | 10 | Length (mm) | 300 |
| Brand | Zenix-C | | |

| Part | Product Name |
|------|--------------|
|------|--------------|

233300- HPLC Column, Sepax, Zenix-C SEC-300, 3 µm,
21230 300 Å 21.2 x 300 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 300 |
| ID (mm) | 21.2 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233150- HPLC Column, Sepax, Zenix-C SEC-150, 3 µm,
10025 150 A 10 x 250 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 150 |
| ID (mm) | 10 | Length (mm) | 250 |
| Brand | Zenix-C | | |

233300- HPLC Column, Sepax, Zenix-C SEC-300, 3 µm,
21225 300 Å 21.2 x 250 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 300 |
| ID (mm) | 21.2 | Length (mm) | 250 |
| Brand | Zenix-C | | |

233150- HPLC Column, Sepax, Zenix-C SEC-150, 3 µm,
10015 150 A 10 x 150 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 150 |
| ID (mm) | 10 | Length (mm) | 150 |
| Brand | Zenix-C | | |

233300- HPLC Column, Sepax, Zenix-C SEC-300, 3 µm,
21205 300 Å 21.2 x 50 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 300 |
| ID (mm) | 21.2 | Length (mm) | 50 |
| Brand | Zenix-C | | |

233150- HPLC Column, Sepax, Zenix-C SEC-150, 3 µm,
10010 150 A 10 x 100 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 150 |
| ID (mm) | 10 | Length (mm) | 100 |
| Brand | Zenix-C | | |

233300- HPLC Column, Sepax, Zenix-C SEC-300, 3 µm,
10030 300 Å 10 x 300 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 300 |
| ID (mm) | 10 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233150- HPLC Column, Sepax, Zenix-C SEC-150, 3 µm,
10005 150 A 10 x 50 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 150 |
| ID (mm) | 10 | Length (mm) | 50 |
| Brand | Zenix-C | | |

233300- HPLC Column, Sepax, Zenix-C SEC-300, 3 µm,
10025 300 Å 10 x 250 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 300 |
| ID (mm) | 10 | Length (mm) | 250 |
| Brand | Zenix-C | | |

233100P- HPLC Column, Sepax, Zenix-C SEC-100 PEEK, 3
4630 µm, 100 Å 4.6 x 300 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 100 |
| ID (mm) | 4.6 | Length (mm) | 300 |
| Brand | Zenix-C | | |

| Part | Product Name |
|------|--------------|
|------|--------------|

233100P- HPLC Column, Sepax, Zenix-C SEC-100 PEEK, 3
4605 μm , 100 Å 4.6 x 50 mm

| | | | |
|---|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (μm) | 3 | Pore Size (Å) | 100 |
| ID (mm) | 4.6 | Length (mm) | 50 |
| Brand | Zenix-C | | |

233300- HPLC Column, Sepax, Zenix-C SEC-300, 3 μm ,
10010 300 Å 10 x 100 mm

| | | | |
|---|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (μm) | 3 | Pore Size (Å) | 300 |
| ID (mm) | 10 | Length (mm) | 100 |
| Brand | Zenix-C | | |

233100LS- HPLC Column, Sepax, Zenix-C SEC-100, 3 μm ,
7830 7.8 x 300 mm, Light Scattering SEC

| | | | |
|---|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (μm) | 3 | Pore Size (Å) | 100 |
| ID (mm) | 7.8 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233080- HPLC Column, Sepax, Zenix-C SEC-80, 3 μm , 80
7815 Å, 7.8 x 150 mm

| | | | |
|---|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (μm) | 3 | Pore Size (Å) | 80 |
| ID (mm) | 7.8 | Length (mm) | 150 |
| Brand | Zenix-C | | |

233080LS- HPLC Column, Sepax, Zenix-C SEC-80, 3 μm , 80
4605 Å, 4.6 x 50 mm, Light Scattering SEC

| | | | |
|---|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (μm) | 3 | Pore Size (Å) | 80 |
| ID (mm) | 4.6 | Length (mm) | 50 |
| Brand | Zenix-C | | |

233300P- HPLC Column, Sepax, Zenix-C SEC-300 PEEK, 3
4630 μm , 4.6 x 300 mm

| | | | |
|---|---------|--|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (μm) | 3 | Pore Size (\AA) | 300 |
| ID (mm) | 4.6 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233300LS- HPLC Column, Sepax, Zenix-C SEC-300, 3 μm ,
7830 7.8 x 300 mm, Light Scattering SEC

| | | | |
|---|---------|--|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (μm) | 3 | Pore Size (\AA) | 300 |
| ID (mm) | 7.8 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233300LS- HPLC Column, Sepax, Zenix-C SEC-300, 3 μm ,
7815 7.8 x 150 mm, Light Scattering SEC

| | | | |
|---|---------|--|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (μm) | 3 | Pore Size (\AA) | 300 |
| ID (mm) | 7.8 | Length (mm) | 150 |
| Brand | Zenix-C | | |

233300LS- HPLC Column, Sepax, Zenix-C SEC-300, 3 μm ,
4630 4.6 x 300 mm, Light Scattering SEC

| | | | |
|---|---------|--|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (μm) | 3 | Pore Size (\AA) | 300 |
| ID (mm) | 4.6 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233300LS- HPLC Column, Sepax, Zenix-C SEC-300, 3 μm ,
4615 4.6 x 150 mm, Light Scattering SEC

| | | | |
|---|---------|--|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (μm) | 3 | Pore Size (\AA) | 300 |
| ID (mm) | 4.6 | Length (mm) | 150 |
| Brand | Zenix-C | | |

| Part | Product Name |
|------|--------------|
|------|--------------|

233300- HPLC Column, Sepax, Zenix-C SEC-300, 3 µm,
10005 300 Å 10 x 50 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 300 |
| ID (mm) | 10 | Length (mm) | 50 |
| Brand | Zenix-C | | |

233100LS- HPLC Column, Sepax, Zenix-C SEC-100, 3 µm,
7815 7.8 x 150 mm, Light Scattering SEC

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 100 |
| ID (mm) | 7.8 | Length (mm) | 150 |
| Brand | Zenix-C | | |

233150P- HPLC Column, Sepax, Zenix-C SEC-150 PEEK, 3
4630 µm, 4.6, x, 300, mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 150 |
| ID (mm) | 4.6 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233100LS- HPLC Column, Sepax, Zenix-C SEC-100, 3 µm,
4630 4.6 x 300 mm, Light Scattering SEC

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 100 |
| ID (mm) | 4.6 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233150P- HPLC Column, Sepax, Zenix-C SEC-150 PEEK, 3
4605 µm, 4.6, x, 50, mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 150 |
| ID (mm) | 4.6 | Length (mm) | 50 |
| Brand | Zenix-C | | |

233100LS- HPLC Column, Sepax, Zenix-C SEC-100, 3 µm,
4615 4.6 x 150 mm, Light Scattering SEC

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 100 |
| ID (mm) | 4.6 | Length (mm) | 150 |
| Brand | Zenix-C | | |

233150LS- HPLC Column, Sepax, Zenix-C SEC-150, 3 µm,
7830 7.8 x 300 mm, Light Scattering SEC

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 150 |
| ID (mm) | 7.8 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233100- HPLC Column, Sepax, Zenix-C SEC-100, 3 µm,
7830 7.8, x, 300, mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 100 |
| ID (mm) | 7.8 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233150LS- HPLC Column, Sepax, Zenix-C SEC-150, 3 µm,
7815 7.8 x 150 mm, Light Scattering SEC

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 150 |
| ID (mm) | 7.8 | Length (mm) | 150 |
| Brand | Zenix-C | | |

233100- HPLC Column, Sepax, Zenix-C SEC-100, 3 µm,
7825 7.8, x, 250, mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 100 |
| ID (mm) | 7.8 | Length (mm) | 250 |
| Brand | Zenix-C | | |

| Part | Product Name |
|------|--------------|
|------|--------------|

233150LS- HPLC Column, Sepax, Zenix-C SEC-150, 3 µm,
4630 4.6 x 300 mm, Light Scattering SEC

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 150 |
| ID (mm) | 4.6 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233100- HPLC Column, Sepax, Zenix-C SEC-100, 3 µm,
7815 7.8, x, 150, mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 100 |
| ID (mm) | 7.8 | Length (mm) | 150 |
| Brand | Zenix-C | | |

233150LS- HPLC Column, Sepax, Zenix-C SEC-150, 3 µm,
4615 4.6 x 150 mm, Light Scattering SEC

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 150 |
| ID (mm) | 4.6 | Length (mm) | 150 |
| Brand | Zenix-C | | |

233100- HPLC Column, Sepax, Zenix-C SEC-100, 3 µm,
7805 7.8, x, 50, mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 100 |
| ID (mm) | 7.8 | Length (mm) | 50 |
| Brand | Zenix-C | | |

233100- HPLC Column, Sepax, Zenix-C SEC-100, 3 µm,
4630 4.6, x, 300, mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 100 |
| ID (mm) | 4.6 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233100- HPLC Column, Sepax, Zenix-C SEC-100, 3 µm,
4625 4.6, x, 250, mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 100 |
| ID (mm) | 4.6 | Length (mm) | 250 |
| Brand | Zenix-C | | |

233100- HPLC Column, Sepax, Zenix-C SEC-100, 3 µm,
4615 4.6 x 150 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 100 |
| ID (mm) | 4.6 | Length (mm) | 150 |
| Brand | Zenix-C | | |

233100- HPLC Column, Sepax, Zenix-C SEC-100, 3 µm,
4605 4.6 x 50 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 100 |
| ID (mm) | 4.6 | Length (mm) | 50 |
| Brand | Zenix-C | | |

233100- HPLC Column, Sepax, Zenix-C SEC-100, 3 µm,
21230 100 Å 21.2 x 300 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 100 |
| ID (mm) | 21.2 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233100- HPLC Column, Sepax, Zenix-C SEC-100, 3 µm,
21225 100 Å 21.2 x 250 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 100 |
| ID (mm) | 21.2 | Length (mm) | 250 |
| Brand | Zenix-C | | |

| Part | Product Name |
|------|--------------|
|------|--------------|

233100- HPLC Column, Sepax, Zenix-C SEC-100, 3 µm,
21205 100 Å 21.2 x 50 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 100 |
| ID (mm) | 21.2 | Length (mm) | 50 |
| Brand | Zenix-C | | |

233100- HPLC Column, Sepax, Zenix-C SEC-100, 3 µm,
10030 100 Å 10 x 300 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 100 |
| ID (mm) | 10 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233100- HPLC Column, Sepax, Zenix-C SEC-100, 3 µm,
10025 100 Å 10 x 250 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 100 |
| ID (mm) | 10 | Length (mm) | 250 |
| Brand | Zenix-C | | |

233100- HPLC Column, Sepax, Zenix-C SEC-100, 3 µm,
10015 100 Å 10 x 150 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 100 |
| ID (mm) | 10 | Length (mm) | 150 |
| Brand | Zenix-C | | |

233100- HPLC Column, Sepax, Zenix-C SEC-100, 3 µm,
10010 100 Å 10 x 100 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 100 |
| ID (mm) | 10 | Length (mm) | 100 |
| Brand | Zenix-C | | |

233100- HPLC Column, Sepax, Zenix-C SEC-100, 3 µm,
10005 100 Å 10 x 50 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 100 |
| ID (mm) | 10 | Length (mm) | 50 |
| Brand | Zenix-C | | |

233080LS- HPLC Column, Sepax, Zenix-C SEC-80, 3 µm, 7.8
7830 x 300 mm, Light Scattering SEC

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 80 |
| ID (mm) | 7.8 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233080LS- HPLC Column, Sepax, Zenix-C SEC-80, 3 µm, 4.6
4630 x 300 mm, Light Scattering SEC

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 80 |
| ID (mm) | 4.6 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233080LS- HPLC Column, Sepax, Zenix-C SEC-80, 3 µm, 4.6
4615 x 150 mm, Light Scattering SEC

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 80 |
| ID (mm) | 4.6 | Length (mm) | 150 |
| Brand | Zenix-C | | |

233080- HPLC Column, Sepax, Zenix-C SEC-80, 3 µm, 80
7830 A 7.8 x 300 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 80 |
| ID (mm) | 7.8 | Length (mm) | 300 |
| Brand | Zenix-C | | |

| Part | Product Name |
|------|--------------|
|------|--------------|

233080- HPLC Column, Sepax, Zenix-C SEC-80, 3 µm, 80
7805 A 7.8 x 50 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 80 |
| ID (mm) | 7.8 | Length (mm) | 50 |
| Brand | Zenix-C | | |

233080- HPLC Column, Sepax, Zenix-C SEC-80, 3 µm, 80
4630 A 4.6 x 300 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 80 |
| ID (mm) | 4.6 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233080- HPLC Column, Sepax, Zenix-C SEC-80, 3 µm, 80
4615 A 4.6 x 150 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 80 |
| ID (mm) | 4.6 | Length (mm) | 150 |
| Brand | Zenix-C | | |

233080- HPLC Column, Sepax, Zenix-C SEC-80, 3 µm, 80
4605 A 4.6 x 50 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 80 |
| ID (mm) | 4.6 | Length (mm) | 50 |
| Brand | Zenix-C | | |

233150LS- HPLC Column, Sepax, Zenix-C SEC-150, 3 µm,
7805 7.8 x 50 mm, Light Scattering SEC

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 150 |
| ID (mm) | 7.8 | Length (mm) | 50 |
| Brand | Zenix-C | | |

233300P- HPLC Column, Sepax, Zenix-C SEC-300 PEEK, 3
4605 μm , 4.6 x 50 mm

| | | | |
|---|---------|--|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (μm) | 3 | Pore Size (\AA) | 300 |
| ID (mm) | 4.6 | Length (mm) | 50 |
| Brand | Zenix-C | | |

233080- HPLC Column, Sepax, Zenix-C SEC-80, 3 μm , 80
2105 A 2.1 x 50 mm

| | | | |
|---|---------|--|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (μm) | 3 | Pore Size (\AA) | 80 |
| ID (mm) | 2.1 | Length (mm) | 50 |
| Brand | Zenix-C | | |

233080- HPLC Column, Sepax, Zenix-C SEC-80, 3 μm , 80
4603 A 4.6 x 30 mm

| | | | |
|---|---------|--|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (μm) | 3 | Pore Size (\AA) | 80 |
| ID (mm) | 4.6 | Length (mm) | 30 |
| Brand | Zenix-C | | |

233081- HPLC Guard Column, Sepax, Zenix-C SEC-80 (II),
7805 3 μm , 80 A 7.8 x 50 mm

| | | | |
|---|---------|--|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (μm) | 3 | Pore Size (\AA) | 80 |
| ID (mm) | 7.8 | Length (mm) | 50 |
| Brand | Zenix-C | | |

233150- HPLC Column, Sepax, Zenix-C SEC-150, 3 μm ,
7820 7.8 x 200 mm

| | | | |
|---|---------|--|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (μm) | 3 | Pore Size (\AA) | 150 |
| ID (mm) | 7.8 | Length (mm) | 200 |
| Brand | Zenix-C | | |

| Part | Product Name |
|------|--------------|
|------|--------------|

233081LS- HPLC Column, Sepax, Zenix-C SEC-80 (II), 3 µm,
4630 80 A 4.6 x 300 mm, Light Scattering SEC

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 80 |
| ID (mm) | 4.6 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233080P- HPLC Column, Sepax, Zenix-C SEC-80 PEEK, 3
4605 µm, 4.6 x 50 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 80 |
| ID (mm) | 4.6 | Length (mm) | 50 |
| Brand | Zenix-C | | |

233300LS- HPLC Guard Column, Sepax, Zenix-C SEC-300, 3
4605 µm, 300 Å 4.6 x 50 mm, Light Scattering SEC

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 300 |
| ID (mm) | 4.6 | Length (mm) | 50 |
| Brand | Zenix-C | | |

233080- HPLC Column, Sepax, Zenix-C SEC-80, 3 µm, 80
2130 A 2.1 x 300 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 80 |
| ID (mm) | 2.1 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233080- HPLC Column, Sepax, Zenix-C SEC-80, 3 µm, 80
10030 A 10 x 300 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 80 |
| ID (mm) | 10 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233081- HPLC Column, Sepax, Zenix-C SEC-80 (II), 3 µm,
4630 80 A 4.6 x 300 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 80 |
| ID (mm) | 4.6 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233300- HPLC Column, Sepax, Zenix-C SEC-300, 3 µm,
2115 300 Å, 2.1 x 150 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 300 |
| ID (mm) | 2.1 | Length (mm) | 150 |
| Brand | Zenix-C | | |

233081- HPLC Column, Sepax, Zenix-C SEC-80(II), 3 µm,
7830 80 Å, 7.8 x 300 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 80 |
| ID (mm) | 7.8 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233080- HPLC Column, Sepax, Zenix-C SEC-80, 3 µm, 80
2115 A 2.1 x 150 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 80 |
| ID (mm) | 2.1 | Length (mm) | 150 |
| Brand | Zenix-C | | |

233300PLS-HPLC Column, Sepax, Zenix-C SEC-300, PEEK, 3
4630 µm, 4.6 x 300 mm, Light Scattering SEC

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 300 |
| ID (mm) | 4.6 | Length (mm) | 300 |
| Brand | Zenix-C | | |

| Part | Product Name |
|------|--------------|
|------|--------------|

233300- HPLC Column, Sepax, Zenix-C SEC-300, 3 µm,
2105 300 Å 2.1 x 50 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 300 |
| ID (mm) | 2.1 | Length (mm) | 50 |
| Brand | Zenix-C | | |

233150LSY- HPLC Column, Sepax, Zenix-C SEC-150, 3 µm,
2115 150 Å, 2.1×150 mm, Light Scattering SEC, IsoBar
Tubing Hardware System

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 150 |
| ID (mm) | 2.1 | Length (mm) | 150 |
| Brand | Zenix-C | | |

233300LSY- HPLC Column, Sepax, Zenix-C SEC-300, 3 µm,
2115 300 Å, 2.1×150 mm, Light Scattering SEC, IsoBar
Tubing Hardware System

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 300 |
| ID (mm) | 2.1 | Length (mm) | 150 |
| Brand | Zenix-C | | |

233150- HPLC Column, Sepax, Zenix-C SEC-150, 3 µm,
2130 2.1 x 300 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 300 |
| ID (mm) | 2.1 | Length (mm) | 150 |
| Brand | Zenix-C | | |

233300P- HPLC Column, Sepax, Zenix-C SEC-300 PEEK, 3
4615 µm, 4.6 x 150 mm

| | | | |
|---------------------------|-----|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 300 |

| | | | |
|----------------|---------|--------------------|-----|
| ID (mm) | 4.6 | Length (mm) | 150 |
| Brand | Zenix-C | | |

233150- HPLC Column, Sepax, Zenix-C SEC-150, 3 µm,
7830 7.8 x 300 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 150 |
| ID (mm) | 7.8 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233300- HPLC Column, Sepax, Zenix-C SEC-300, 3 µm,
7830 300 Å, 7.8 x 300 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 300 |
| ID (mm) | 7.8 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233300- HPLC Column, Sepax, Zenix-C SEC-300, 3 µm,
4630 300 Å, 4.6 x 300 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 300 |
| ID (mm) | 4.6 | Length (mm) | 300 |
| Brand | Zenix-C | | |

233300- HPLC Column, Sepax, Zenix-C SEC-300, 3 µm,
10015 300 Å 10 x 150 mm

| | | | |
|---------------------------|---------|----------------------|--------|
| Separation Mode | SEC | Bead Type | Silica |
| Particle Size (µm) | 3 | Pore Size (Å) | 300 |
| ID (mm) | 10 | Length (mm) | 150 |
| Brand | Zenix-C | | |

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: sxc@nt-rt.ru || сайт: <https://sepax.nt-rt.ru/>